| No | 품명 및 규격 및 치수 재질 | | 사용 용도 | 판매단가 | 재고수량 | 브랜드 | 원산지 | 업체코드 |
|---|---|---|---|---|---|---|---|---|
| 1 | ER CHUCK | BT40-ER32-100 | M/C | 60,000 | 2 | ANWAY | TAIWAN | A-15 |
| 2 | ER CHUCK | BT40-ER40-80 | M/C | 60,000 | 2 | ANWAY | TAIWAN | A-15 |
| 3 | ER CHUCK | BT30-ER16-100 | M/C | 60,000 | 3 | ANWAY | TAIWAN | A-15 |
| 4 | TAP CHUCK | AC/TC312-011-08 | M/C | 10,000 | 3 | BT TOOLS(ARBOR) | USA | A-16 |
| 5 | TAP CHUCK | AC/TC820-022-01 | M/C | 10,000 | 3 | BT TOOLS(ARBOR) | USA | A-16 |
| 6 | ER CHUCK | BT40-ER25-90 | M/C | 60,000 | 30 | BULLS | KOREA | A-19 |
| 7 | ER CHUCK | BT40-ER25-120 | M/C | 60,000 | 27 | BULLS | KOREA | A-19 |
| 8 | ER CHUCK | BT40-ER20-105 | M/C | 60,000 | 35 | BULLS | KOREA | A-19 |
| 9 | ER CHUCK | BT40-ER32-90 | M/C | 60,000 | 3 | BULLS | KOREA | A-19 |
| 10 | ER CHUCK | BT40-ER32-120 | M/C | 60,000 | 1 | BULLS | KOREA | A-19 |
| 11 | ER CHUCK | BT50-ER20-150 | M/C | 60,000 | 3 | BULLS | KOREA | A-19 |
| 12 | ER CHUCK | BT50-ER32-105 | M/C | 60,000 | 4 | BULLS | KOREA | A-19 |
| 13 | ER CHUCK | BT50-ER32-135 | M/C | 60,000 | 5 | BULLS | KOREA | A-19 |
| 14 | ER CHUCK | BT50-ER20-165 | M/C | 60,000 | 4 | BULLS | KOREA | A-19 |
| 15 | SK 고속용척 | BT40-AUD16-150 | M/C | 60,000 | 5 | BULLS | KOREA | A-19 |
| 16 | SK 고속용척 | BT40-AUD10-150 | M/C | 60,000 | 26 | BULLS | KOREA | A-19 |
| 17 | SK 고속용척 | BT40-AUD6-85 | M/C | 60,000 | 3 | BULLS | KOREA | A-19 |
| 18 | 슬림척 | BT50-SE20-135 | M/C | 60,000 | 12 | BULLS | KOREA | A-19 |
| 19 | COLLET CHUCK | BT40-SDC20-150 | MK/MILLING | 50,000 | 1 | DINE | KOREA | A-13 |
| 20 | TAP CHUCK | BT40-SDT20-90 | MK/MILLING | 50,000 | 2 | DINE | KOREA | A-13 |
| 21 | 3D-TASTER | 3D-TASTER2007(NEW) | M/C | 447,810 | 20 | DINE | KOREA | A-26 |
| 22 | 3D-TASTER-STYLUS | SPARE STYLUS CPL.DIGI.KUGEL D4 | M/C | 33,500 | 50 | DINE | KOREA | A-26 |
| 23 | ER CHUCK | BT40-SDC10P-90 | M/C | 91,510 | 6 | DINE | KOREA | A-26 |
| 24 | ER CHUCK | BT40-SDC13P-90 | M/C | 93,460 | 27 | DINE | KOREA | A-26 |
| 25 | ER CHUCK | BT40-SDC20P-90 | M/C | 99,300 | 19 | DINE | KOREA | A-26 |
| 26 | ER CHUCK | BT40-SDC20P-90LT | M/C | 99,300 | 11 | DINE | KOREA | A-26 |
| 27 | ER CHUCK | BT50-SDC13P-100 | M/C | 115,530 | 10 | DINE | KOREA | A-26 |
| 28 | ER CHUCK | BT50-SDC20P-100 | M/C | 125,260 | 11 | DINE | KOREA | A-26 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 29 | ER CHUCK | BT50-SDC20P-130 | M/C | 125,260 | 13 | DINE | KOREA | A-26 |
| 30 | ER CHUCK | BT50-SDC20P-160 | M/C | 143,430 | 16 | DINE | KOREA | A-26 |
| 31 | FBB BITE | FBB26N | M/C | 43,490 | 5 | DINE | KOREA | A-26 |
| 32 | FBB BITE | FBB33N | M/C | 43,490 | 8 | DINE | KOREA | A-26 |
| 33 | FBH HEAD | FBH3233B | M/C | 365,390 | 5 | DINE | KOREA | A-26 |
| 34 | FBH HEAD | FBH5053B | M/C | 432,240 | 8 | DINE | KOREA | A-26 |
| 35 | FF UNIT | FF16-47S | M/C | 155,760 | 12 | DINE | KOREA | A-26 |
| 36 | NPU CHUCK | BT40-NPU13-105 | M/C | 133,700 | 49 | DINE | KOREA | A-26 |
| 37 | NPU CHUCK | BT40-NPU13-130 | M/C | 142,780 | 5 | DINE | KOREA | A-26 |
| 38 | NPU CHUCK | BT50-NPU13-190 | M/C | 177,180 | 6 | DINE | KOREA | A-26 |
| 39 | NPU CHUCK HEAD | NPU4008 | M/C | 166,800 | 6 | DINE | KOREA | A-26 |
| 40 | DRILL CHUCK ARBOR | DJT32-6 | M/C | 10,390 | 13 | DINE | KOREA | A-26 |
| 41 | MODULAR ARBOR | BT50-MD50F-125 | M/C | 118,120 | 7 | DINE | KOREA | A-26 |
| 42 | NEW POWER MILLING CHUCK | BT30-NPM20-85 | M/C | 120,720 | 30 | DINE | KOREA | A-26 |
| 43 | NEW POWER MILLING CHUCK | BT40-NPM32-90 | M/C | 139,540 | 46 | DINE | KOREA | A-26 |
| 44 | NEW POWER MILLING CHUCK | BT50-NPM32-135 | M/C | 188,210 | 12 | DINE | KOREA | A-26 |
| 45 | NEW POWER MILLING CHUCK | BT50-NPM32-165 | M/C | 188,210 | 30 | DINE | KOREA | A-26 |
| 46 | NEW POWER MILLING CHUCK | BT50-NPM42-110 | M/C | 223,910 | 16 | DINE | KOREA | A-26 |
| 47 | BALANCE CUT HEAD | DBC4046S | M/C | 234,940 | 5 | DINE | KOREA | A-26 |
| 48 | SIDE LOCK ARBOR | BT40-SLA25-90 | M/C | 85,020 | 5 | DINE | KOREA | A-26 |
| 49 | SIDE LOCK ARBOR | BT40-SLA32-105 | M/C | 86,320 | 10 | DINE | KOREA | A-26 |
| 50 | SIDE LOCK ARBOR | BT50-SLA25-105 | M/C | 116,820 | 14 | DINE | KOREA | A-26 |
| 51 | SIDE LOCK ARBOR | BT50-SLA32-105 | M/C | 116,820 | 12 | DINE | KOREA | A-26 |
| 52 | SIDE LOCK ARBOR | BT50-SLA40-105 | M/C | 123,960 | 13 | DINE | KOREA | A-26 |
| 53 | STRAIGHT SHANK COLLET CHU | S16-SDC10S-100M (SLIM TYPE) | M/C | 63,610 | 5 | DINE | KOREA | A-26 |
| 54 | STRAIGHT SHANK COLLET CHU | S16-SDC7S-100M (SLIM TYPE) | M/C | 63,610 | 19 | DINE | KOREA | A-26 |
| 55 | STRAIGHT SHANK COLLET CHU | S16-SDC7S-150M (SLIM TYPE) | M/C | 63,610 | 12 | DINE | KOREA | A-26 |
| 56 | STRAIGHT SHANK COLLET CHU | S20-SDC10S-150M (SLIM TYPE) | M/C | 66,850 | 11 | DINE | KOREA | A-26 |
| 57 | STRAIGHT SHANK COLLET CHU | S20-SDC10S-200M (SLIM TYPE) | M/C | 73,340 | 5 | DINE | KOREA | A-26 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 58 | SILM COLLET CHUCK | BT50-DSK16-165 | M/C | 154,470 | 9 | DINE | KOREA | A-26 |
| 59 | SQUARE BORING BITE (BSA) | BH125 | M/C | 27,260 | 7 | DINE | KOREA | A-26 |
| 60 | PARTING BLADE | KPB226 | M/C | 28,560 | 9 | DINE | KOREA | A-26 |
| 61 | PARTING BLADE | KPB232 | M/C | 28,560 | 14 | DINE | KOREA | A-26 |
| 62 | TAPPING HOLDER | BT50-DTN12-130 | M/C | 185,620 | 9 | DINE | KOREA | A-26 |
| 63 | TAPPING HOLDER | BT50-DTN22-140 | M/C | 220,020 | 8 | DINE | KOREA | A-26 |
| 64 | FACE MILL ARBOR | BT30-FMC27-50 | M/C | 66,850 | 9 | DINE | KOREA | A-26 |
| 65 | FACE MILL ARBOR | BT50-FMA31.75-105 | M/C | 131,750 | 6 | DINE | KOREA | A-26 |
| 66 | HIGH SPEED COLLET CHUCK | BT30-HPS13-75 | M/C | 100,600 | 5 | DINE | KOREA | A-26 |
| 67 | HIGH SPEED COLLET CHUCK | BT30-HPS16-75 | M/C | 102,550 | 9 | DINE | KOREA | A-26 |
| 68 | HIGH SPEED COLLET CHUCK | BT40-HPS16-135 | M/C | 116,180 | 5 | DINE | KOREA | A-26 |
| 69 | SHRINK CHUCK | HSK63A-SHR16-100 | M/C | 130,720 | 1 | D-SONDER | GERMANY | A-28 |
| 70 | SHRINK CHUCK | HSK63A-SHR20-100 | M/C | 129,090 | 1 | D-SONDER | GERMANY | A-28 |
| 71 | a fast-rotating slimmer | BT30-SK13-60P | M/C | 55,550 | 4 | EX-POWER | Taiwan | A-8 |
| 72 | a fast-rotating slimmer | BT30-SK13-90P | M/C | 57,160 | 1 | EX-POWER | Taiwan | A-8 |
| 73 | a fast-rotating slimmer | BT30-SK16-60P | M/C | 55,550 | 3 | EX-POWER | Taiwan | A-8 |
| 74 | a fast-rotating slimmer | BT30-SK20-60P | M/C | 60,380 | 9 | EX-POWER | Taiwan | A-8 |
| 75 | a fast-rotating slimmer | BT30-SK25-85P | M/C | 62,100 | 6 | EX-POWER | Taiwan | A-8 |
| 76 | a fast-rotating slimmer | BT30-SK6-60P | M/C | 52,210 | 8 | EX-POWER | Taiwan | A-8 |
| 77 | a fast-rotating slimmer | BT30-SK6-90P | M/C | 53,940 | 8 | EX-POWER | Taiwan | A-8 |
| 78 | a fast-rotating slimmer | BT40-SK10-150P | M/C | 63,940 | 9 | EX-POWER | Taiwan | A-8 |
| 79 | a fast-rotating slimmer | BT40-SK10-60P | M/C | 57,160 | 8 | EX-POWER | Taiwan | A-8 |
| 80 | a fast-rotating slimmer | BT40-SK10-80P | M/C | 63,250 | 84 | EX-POWER | Taiwan | A-8 |
| 81 | a fast-rotating slimmer | BT40-SK13-100P | M/C | 59,230 | 1 | EX-POWER | Taiwan | A-8 |
| 82 | a fast-rotating slimmer | BT40-SK13-120P | M/C | 62,100 | 7 | EX-POWER | Taiwan | A-8 |
| 83 | a fast-rotating slimmer | BT40-SK13-150P | M/C | 66,930 | 10 | EX-POWER | Taiwan | A-8 |
| 84 | a fast-rotating slimmer | BT40-SK13-60P | M/C | 57,160 | 4 | EX-POWER | Taiwan | A-8 |
| 85 | a fast-rotating slimmer | BT40-SK16-120P | M/C | 63,250 | 36 | EX-POWER | Taiwan | A-8 |
| 86 | a fast-rotating slimmer | BT40-SK16-150P | M/C | 65,550 | 7 | EX-POWER | Taiwan | A-8 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 87 | a fast-rotating slimmer | BT40-SK16-60P | M/C | 58,770 | 6 | EX-POWER | Taiwan | A-8 |
| 88 | a fast-rotating slimmer | BT40-SK20-120P | M/C | 70,270 | 8 | EX-POWER | Taiwan | A-8 |
| 89 | a fast-rotating slimmer | BT40-SK20-60P | M/C | 65,320 | 10 | EX-POWER | Taiwan | A-8 |
| 90 | a fast-rotating slimmer | BT40-SK20-90P | M/C | 66,930 | 9 | EX-POWER | Taiwan | A-8 |
| 91 | a fast-rotating slimmer | BT40-SK25-120P | M/C | 71,880 | 8 | EX-POWER | Taiwan | A-8 |
| 92 | a fast-rotating slimmer | BT40-SK25-70P | M/C | 68,540 | 10 | EX-POWER | Taiwan | A-8 |
| 93 | a fast-rotating slimmer | BT40-SK25-90P | M/C | 70,270 | 8 | EX-POWER | Taiwan | A-8 |
| 94 | a fast-rotating slimmer | BT40-SK6-120P | M/C | 62,100 | 2 | EX-POWER | Taiwan | A-8 |
| 95 | a fast-rotating slimmer | BT40-SK6-90P | M/C | 55,550 | 1 | EX-POWER | Taiwan | A-8 |
| 96 | ER CHUCK | BT30-ER20-60L | M/C용 | 40,000 | 32 | EX-POWER | Taiwan | A-1 |
| 97 | ER CHUCK | BT40-ER32-70L | M/C용 | 40,000 | 10 | EX-POWER | Taiwan | A-1 |
| 98 | ER CHUCK | BT30-ER25-60 | M/C | 35,880 | 5 | EX-POWER | Taiwan | A-8 |
| 99 | ER CHUCK | BT40-ER11-70 | M/C | 35,880 | 3 | EX-POWER | Taiwan | A-8 |
| 100 | ER CHUCK | BT40-ER16-100 | M/C | 33,810 | 8 | EX-POWER | Taiwan | A-8 |
| 101 | NPU drill Chuck | BT30-APU13-110 | M/C | 71,760 | 1 | EX-POWER | Taiwan | A-8 |
| 102 | NPU drill Chuck | BT40-APU13-140 | M/C | 91,200 | 17 | EX-POWER | Taiwan | A-8 |
| 103 | NPU drill Chuck | BT50-NPU13-100 | M/C | 110,980 | 2 | EX-POWER | Taiwan | A-8 |
| 104 | Sidelock holder | BT30-SLA16-75 | M/C | 35,310 | 5 | EX-POWER | Taiwan | A-8 |
| 105 | Sidelock holder | BT40-SLA16-100 | M/C | 34,270 | 6 | EX-POWER | Taiwan | A-8 |
| 106 | Sidelock holder | BT40-SLA20-100 | M/C | 34,270 | 1 | EX-POWER | Taiwan | A-8 |
| 107 | Sidelock holder | BT50-SLA12-105 | M/C | 58,770 | 1 | EX-POWER | Taiwan | A-8 |
| 108 | Sidelock holder | BT50-SLA16-105 | M/C | 60,610 | 1 | EX-POWER | Taiwan | A-8 |
| 109 | Sidelock holder | BT50-SLA20-105 | M/C | 58,770 | 3 | EX-POWER | Taiwan | A-8 |
| 110 | Hydraulic Chuck | BT40JHM20-140 | MK/MILLING | 100,000 | 1 | JEIL SOLUTION | KOREA | A-13 |
| 111 | FACEMILL ARBOR | BT50-FMC22-105 | M/C | 84,430 | 1 | JEIL SOLUTION | KOREA | A-28 |
| 112 | FACEMILL ARBOR | SK50-FMB40-55 | M/C | 143,750 | 1 | JEIL SOLUTION | KOREA | A-28 |
| 113 | FACEMILL ARBOR | MT6K-FMA25.4-30 | M/C | 115,950 | 1 | JEIL SOLUTION | KOREA | A-28 |
| 114 | HYDRO CHUCK | HSK63A-JHM12-170(TT45267F) | M/C | 277,920 | 1 | JEIL SOLUTION | KOREA | A-28 |
| 115 | HYDRO CHUCK | HSK63A-JHM32-105 | M/C | 273,130 | 5 | JEIL SOLUTION | KOREA | A-28 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 116 | SIDE LOCK ARBOR | BT50-EMH40-120 | M/C | 73,890 | 1 | JEIL SOLUTION | KOREA | A-28 |
| 117 | SIDE LOCK ARBOR | SK50-EMH40-120 | M/C | 124,580 | 1 | JEIL SOLUTION | KOREA | A-28 |
| 118 | ER CHUCK | NC19.05-ER11-65L | 복합CNC용 | 40,000 | 70 | JL | KOREA | A-1 |
| 119 | ER CHUCK | NC20-ER11-60L | 복합CNC용 | 40,000 | 90 | JL | KOREA | A-1 |
| 120 | ER CHUCK | NC20-ER11-80L | 복합CNC용 | 40,000 | 80 | JL | KOREA | A-1 |
| 121 | ER CHUCK | NC20-ER16M-65L | 복합CNC용 | 40,000 | 120 | JL | KOREA | A-1 |
| 122 | ER CHUCK | NC22-ER16M-100L | 복합CNC용 | 40,000 | 90 | JL | KOREA | A-1 |
| 123 | ER CHUCK | NC22-ER20M-110L | 복합CNC용 | 40,000 | 90 | JL | KOREA | A-1 |
| 124 | ER CHUCK | NC25.4-ER20M-100L | 복합CNC용 | 40,000 | 90 | JL | KOREA | A-1 |
| 125 | ER CHUCK | NC25-ER16M-70L | 복합CNC용 | 40,000 | 90 | JL | KOREA | A-1 |
| 126 | Hydraulic Chuck | HSK63AHC32125M | MK/MILLING | 150,000 | 1 | KENNAMETAL | USA | A-13 |
| 127 | Hydraulic Chuck | BT40BHC16090M | MK/MILLING | 150,000 | 1 | KENNAMETAL | USA | A-13 |
| 128 | ER CHUCK | BT30-ER16-100M | M/C | 60,000 | 4 | KENNAMETAL | TAIWAN | A-15 |
| 129 | ER CHUCK | BT30-ER20-100M | M/C | 60,000 | 14 | KENNAMETAL | TAIWAN | A-15 |
| 130 | ER CHUCK | BT40-ER16-160M | M/C | 60,000 | 1 | KENNAMETAL | TAIWAN | A-15 |
| 131 | ER CHUCK | BT40-ER16-200M | M/C | 60,000 | 2 | KENNAMETAL | TAIWAN | A-15 |
| 132 | ER CHUCK | BT40-ER20-070M | M/C | 60,000 | 1 | KENNAMETAL | TAIWAN | A-15 |
| 133 | ER CHUCK | BT40-ER20-200M | M/C | 60,000 | 1 | KENNAMETAL | TAIWAN | A-15 |
| 134 | ER CHUCK | BT40-ER25-135M | M/C | 60,000 | 2 | KENNAMETAL | TAIWAN | A-15 |
| 135 | ER CHUCK | BT40-ER25-160M | M/C | 60,000 | 2 | KENNAMETAL | TAIWAN | A-15 |
| 136 | ER CHUCK | BT30-ER16-100MB | M/C | 60,000 | 119 | KENNAMETAL | INDIA | A-15 |
| 137 | ER CHUCK | BT40-ER40-120M | M/C | 60,000 | 11 | KENNAMETAL | INDIA | A-15 |
| 138 | ER CHUCK | BT40-ER50-100MB | M/C | 60,000 | 51 | KENNAMETAL | INDIA | A-15 |
| 139 | ER CHUCK | BT50-ER40-105MB | M/C | 60,000 | 17 | KENNAMETAL | INDIA | A-15 |
| 140 | ER CHUCK | BT50-ER50-100M | M/C | 60,000 | 18 | KENNAMETAL | INDIA | A-15 |
| 141 | DA EXTENSION | SS125DA304109M | M/C | 10,000 | 5 | KENNAMETAL | USA | A-16 |
| 142 | BORING BAR | A2532LSER22 | M/C | 10,000 | 1 | KENNAMETAL | USA | A-16 |
| 143 | BT TOOL | BT50-MTB3 | M/C | 10,000 | 1 | KENNAMETAL | USA | A-16 |
| 144 | BT TOOLS(ARBOR) | BT30ER32 100MB | M/C | 60,000 | 20 | KENNAMETAL | INDIA | A-16 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 145 | BT TOOLS(ARBOR) | BT40ER40 080MB | M/C | 60,000 | 5 | KENNAMETAL | INDIA | A-16 |
| 146 | BT TOOLS(ARBOR) | BT40ER40 120MB | M/C | 60,000 | 1 | KENNAMETAL | INDIA | A-16 |
| 147 | BT TOOLS(ARBOR) | BT50EM20080MB | M/C | 60,000 | 8 | KENNAMETAL | INDIA | A-16 |
| 148 | BT TOOLS(ARBOR) | BT50ER32 070MB | M/C | 60,000 | 1 | KENNAMETAL | INDIA | A-16 |
| 149 | BT TOOLS(ARBOR) | BT50FC188110M | M/C | 60,000 | 1 | KENNAMETAL | INDIA | A-16 |
| 150 | BT TOOLS(ARBOR) | BT50MC3065M | M/C | 60,000 | 1 | KENNAMETAL | INDIA | A-16 |
| 151 | BT TOOLS(ARBOR) | BT50RC2120M | M/C | 60,000 | 6 | KENNAMETAL | INDIA | A-16 |
| 152 | BT TOOLS(ARBOR) | BT50RC3137M | M/C | 60,000 | 1 | KENNAMETAL | INDIA | A-16 |
| 153 | BTA HEAD | E881384382011(DIA 38.20) | M/C | 60,000 | 1 | KENNAMETAL | USA | A-16 |
| 154 | BTA HEAD | E881396392011(DIA 39.20) | M/C | 60,000 | 1 | KENNAMETAL | USA | A-16 |
| 155 | TOOL HOLDER | BT50EM50130M | M/C | 60,000 | 1 | KENNAMETAL | USA | A-16 |
| 156 | ENDMILL HOLDER | KM63TSEM32090M | M/C | 252,900 | 1 | KENNAMETAL | USA | A-28 |
| 157 | KM ADAPTER | KM80TSMCLNR19 | M/C,CNC | 306,080 | 2 | KENNAMETAL | USA | A-28 |
| 158 | KM ADAPTER | KM80TSMCLNR25 | M/C,CNC | 612,180 | 2 | KENNAMETAL | USA | A-28 |
| 159 | KM ADAPTER | KM80TSMSDNN25 | M/C,CNC | 306,080 | 2 | KENNAMETAL | USA | A-28 |
| 160 | KM ADAPTER | KM80TSMSRNR25 | M/C,CNC | 306,080 | 2 | KENNAMETAL | USA | A-28 |
| 161 | SHELL MILL ARBOR | BT50BSMC40050M | M/C | 191,970 | 1 | KENNAMETAL | USA | A-28 |
| 162 | SHRINK CHUCK | BT40BHPVTT16090M | M/C | 144,530 | 2 | KENNAMETAL | USA | A-28 |
| 163 | SHRINK CHUCK | HSK63AHPVTT06120M | M/C | 131,540 | 1 | KENNAMETAL | USA | A-28 |
| 164 | SHRINK CHUCK | HSK63AHPVTT08120M | M/C | 138,430 | 6 | KENNAMETAL | USA | A-28 |
| 165 | SHRINK CHUCK | HSK63AHPVTT20120M | M/C | 138,430 | 1 | KENNAMETAL | USA | A-28 |
| 166 | ER CHUCK | BT 30 / ER 11 x 050 | M/C용 | 95,700 | 23 | REGO-FIX | Switzerland | A-5 |
| 167 | ER CHUCK | BT 30 / ER 11 x 100 H | M/C용 | 112,400 | 20 | REGO-FIX | Switzerland | A-5 |
| 168 | ER CHUCK | BT 30 / ER 16 x 050 | M/C용 | 93,500 | 33 | REGO-FIX | Switzerland | A-5 |
| 169 | ER CHUCK | BT 30 / ER 16 x 080 H | M/C용 | 97,900 | 20 | REGO-FIX | Switzerland | A-5 |
| 170 | ER CHUCK | BT 30 / ER 16 x 100 H | M/C용 | 105,700 | 20 | REGO-FIX | Switzerland | A-5 |
| 171 | ER CHUCK | BT 30 / ER 20 x 050 | M/C용 | 96,800 | 30 | REGO-FIX | Switzerland | A-5 |
| 172 | ER CHUCK | BT 30 / ER 20 x 070 H | M/C용 | 106,800 | 20 | REGO-FIX | Switzerland | A-5 |
| 173 | ER CHUCK | BT 30 / ER 20 x 100 H | M/C용 | 114,600 | 20 | REGO-FIX | Switzerland | A-5 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 174 | ER CHUCK | BT 30 / ER 25 x 060 H | M/C용 | 93,500 | 40 | REGO-FIX | Switzerland | A-5 |
| 175 | ER CHUCK | BT 30 / ER 25 x 100 H | M/C용 | 107,900 | 20 | REGO-FIX | Switzerland | A-5 |
| 176 | ER CHUCK | BT 30 / ER 32 x 060 | M/C용 | 101,300 | 20 | REGO-FIX | Switzerland | A-5 |
| 177 | ER CHUCK | BT 30 / ER 32 x 100 H | M/C용 | 115,700 | 17 | REGO-FIX | Switzerland | A-5 |
| 178 | ER CHUCK | BT 40 / ER 11 x 100 H | M/C용 | 136,900 | 20 | REGO-FIX | Switzerland | A-5 |
| 179 | ER CHUCK | BT 40 / ER 11 x 160 H | M/C용 | 181,400 | 20 | REGO-FIX | Switzerland | A-5 |
| 180 | ER CHUCK | BT 40 / ER 16 x 070 H | M/C용 | 96,800 | 40 | REGO-FIX | Switzerland | A-5 |
| 181 | ER CHUCK | BT 40 / ER 16 x 100 H | M/C용 | 105,700 | 20 | REGO-FIX | Switzerland | A-5 |
| 182 | ER CHUCK | BT 40 / ER 16 x 160 H | M/C용 | 138,000 | 30 | REGO-FIX | Switzerland | A-5 |
| 183 | ER CHUCK | BT 40 / ER 20 x 070 H | M/C용 | 102,400 | 20 | REGO-FIX | Switzerland | A-5 |
| 184 | ER CHUCK | BT 40 / ER 20 x 100 H | M/C용 | 112,400 | 33 | REGO-FIX | Switzerland | A-5 |
| 185 | ER CHUCK | BT 40 / ER 20 x 160 H | M/C용 | 154,700 | 20 | REGO-FIX | Switzerland | A-5 |
| 186 | ER CHUCK | BT 40 / ER 25 x 070 H | M/C용 | 96,800 | 27 | REGO-FIX | Switzerland | A-5 |
| 187 | ER CHUCK | BT 40 / ER 25 x 100 H | M/C용 | 111,300 | 20 | REGO-FIX | Switzerland | A-5 |
| 188 | ER CHUCK | BT 40 / ER 25 x 160 H | M/C용 | 165,800 | 29 | REGO-FIX | Switzerland | A-5 |
| 189 | ER CHUCK | BT 40 / ER 32 x 070 H | M/C용 | 95,700 | 20 | REGO-FIX | Switzerland | A-5 |
| 190 | ER CHUCK | BT 40 / ER 32 x 100 H | M/C용 | 111,300 | 44 | REGO-FIX | Switzerland | A-5 |
| 191 | ER CHUCK | BT 40 / ER 32 x 160 H | M/C용 | 165,800 | 20 | REGO-FIX | Switzerland | A-5 |
| 192 | ER CHUCK | BT 40 / ER 40 x 080 | M/C용 | 111,300 | 20 | REGO-FIX | Switzerland | A-5 |
| 193 | ER CHUCK | BT 40 / ER 40 x 100 H | M/C용 | 136,900 | 33 | REGO-FIX | Switzerland | A-5 |
| 194 | ER CHUCK | BT 40 / ER 40 x 160 H | M/C용 | 187,000 | 20 | REGO-FIX | Switzerland | A-5 |
| 195 | ER CHUCK | BT 50 / ER 16 x 100 H | M/C용 | 185,900 | 20 | REGO-FIX | Switzerland | A-5 |
| 196 | ER CHUCK | BT 50 / ER 16 x 160 H | M/C용 | 227,000 | 27 | REGO-FIX | Switzerland | A-5 |
| 197 | ER CHUCK | BT 50 / ER 20 x 070 | M/C용 | 178,100 | 20 | REGO-FIX | Switzerland | A-5 |
| 198 | ER CHUCK | BT 50 / ER 20 x 100 H | M/C용 | 187,000 | 28 | REGO-FIX | Switzerland | A-5 |
| 199 | ER CHUCK | BT 50 / ER 25 x 070 | M/C용 | 178,100 | 20 | REGO-FIX | Switzerland | A-5 |
| 200 | ER CHUCK | BT 50 / ER 25 x 100 H | M/C용 | 185,900 | 30 | REGO-FIX | Switzerland | A-5 |
| 201 | ER CHUCK | BT 50 / ER 25 x 160 H | M/C용 | 247,100 | 20 | REGO-FIX | Switzerland | A-5 |
| 202 | ER CHUCK | BT 50 / ER 32 x 100 H | M/C용 | 180,300 | 30 | REGO-FIX | Switzerland | A-5 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 203 | ER CHUCK | BT 50 / ER 32 x 160 H | M/C용 | 249,300 | 27 | REGO-FIX | Switzerland | A-5 |
| 204 | ER CHUCK | BT 50 / ER 40 x 100 H | M/C용 | 199,200 | 20 | REGO-FIX | Switzerland | A-5 |
| 205 | ER CHUCK | BT 50 / ER 40 x 160 H | M/C용 | 262,600 | 26 | REGO-FIX | Switzerland | A-5 |
| 206 | ER CHUCK | BT 50 / ER 50 x 100 | M/C용 | 284,900 | 20 | REGO-FIX | Switzerland | A-5 |
| 207 | ER CHUCK | HSK-A 63 / ER 11 x 100 H | M/C용 | 171,400 | 20 | REGO-FIX | Switzerland | A-5 |
| 208 | ER CHUCK | HSK-A 63 / ER 16 x 080 H | M/C용 | 173,600 | 25 | REGO-FIX | Switzerland | A-5 |
| 209 | ER CHUCK | HSK-A 63 / ER 16 x 100 H | M/C용 | 155,800 | 20 | REGO-FIX | Switzerland | A-5 |
| 210 | ER CHUCK | HSK-A 63 / ER 16 x 160 H | M/C용 | 179,200 | 26 | REGO-FIX | Switzerland | A-5 |
| 211 | ER CHUCK | HSK-A 63 / ER 20 x 075 | M/C용 | 197,000 | 16 | REGO-FIX | Switzerland | A-5 |
| 212 | ER CHUCK | HSK-A 63 / ER 25 x 080 H | M/C용 | 173,600 | 28 | REGO-FIX | Switzerland | A-5 |
| 213 | ER CHUCK | HSK-A 63 / ER 25 x 100 H | M/C용 | 161,400 | 20 | REGO-FIX | Switzerland | A-5 |
| 214 | ER CHUCK | HSK-A 63 / ER 25 x 160 H | M/C용 | 199,200 | 20 | REGO-FIX | Switzerland | A-5 |
| 215 | ER CHUCK | HSK-A 63 / ER 25 x 200 H | M/C용 | 262,600 | 30 | REGO-FIX | Switzerland | A-5 |
| 216 | ER CHUCK | HSK-A 63 / ER 32 x 080 H | M/C용 | 176,900 | 20 | REGO-FIX | Switzerland | A-5 |
| 217 | ER CHUCK | HSK-A 63 / ER 32 x 100 H | M/C용 | 168,000 | 33 | REGO-FIX | Switzerland | A-5 |
| 218 | ER CHUCK | HSK-A 63 / ER 32 x 160 H | M/C용 | 219,200 | 20 | REGO-FIX | Switzerland | A-5 |
| 219 | ER CHUCK | HSK-A 63 / ER 32 x 200 H | M/C용 | 264,900 | 27 | REGO-FIX | Switzerland | A-5 |
| 220 | ER CHUCK | HSK-A 63 / ER 40 x 080 | M/C용 | 182,500 | 20 | REGO-FIX | Switzerland | A-5 |
| 221 | ER CHUCK | HSK-A 63 / ER 40 x 120 H | M/C용 | 185,900 | 54 | REGO-FIX | Switzerland | A-5 |
| 222 | ER CHUCK | HSK-A 63 / ER 40 x 160 H | M/C용 | 240,400 | 20 | REGO-FIX | Switzerland | A-5 |
| 223 | ER CHUCK | HSK-A 100 / ER 16 x 100 H | M/C용 | 212,600 | 22 | REGO-FIX | Switzerland | A-5 |
| 224 | ER CHUCK | HSK-A 100 / ER 16 x 160 H | M/C용 | 271,500 | 19 | REGO-FIX | Switzerland | A-5 |
| 225 | ER CHUCK | HSK-A 100 / ER 16 x 200 H | M/C용 | 371,700 | 20 | REGO-FIX | Switzerland | A-5 |
| 226 | ER CHUCK | HSK-A 100 / ER 25 x 100 H | M/C용 | 247,100 | 26 | REGO-FIX | Switzerland | A-5 |
| 227 | ER CHUCK | HSK-A 100 / ER 25 x 160 H | M/C용 | 311,600 | 20 | REGO-FIX | Switzerland | A-5 |
| 228 | ER CHUCK | HSK-A 100 / ER 25 x 200 H | M/C용 | 400,600 | 20 | REGO-FIX | Switzerland | A-5 |
| 229 | ER CHUCK | HSK-A 100 / ER 32 x 100 H | M/C용 | 247,100 | 27 | REGO-FIX | Switzerland | A-5 |
| 230 | ER CHUCK | HSK-A 100 / ER 32 x 160 H | M/C용 | 318,300 | 20 | REGO-FIX | Switzerland | A-5 |
| 231 | ER CHUCK | HSK-A 100 / ER 40 x 120 H | M/C용 | 264,900 | 22 | REGO-FIX | Switzerland | A-5 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 232 | ER CHUCK | HSK-A 100 / ER 40 x 200 H | M/C용 | 456,300 | 20 | REGO-FIX | Switzerland | A-5 |
| 233 | DRILL CHUCK | 10EL(0~10.0) JT2 | LIGHT DUTY TYPES | 12,460 | 49 | SAMCHULLY | KOREA | A-26 |
| 234 | DRILL CHUCK | 10SL(0~10.0) 1/2-20UNF | THREAD MOUNTED TYPES | 14,720 | 31 | SAMCHULLY | KOREA | A-26 |
| 235 | DRILL CHUCK | 13EL(0~13.0) JT6 | LIGHT DUTY TYPES | 15,840 | 19 | SAMCHULLY | KOREA | A-26 |
| 236 | DRILL CHUCK | 13MG(1.2~13.0) JT6 | HEAVY DUTY TYPES | 40,000 | 90 | SAMCHULLY | KOREA | A-26 |
| 237 | DRILL CHUCK | 13SL(0~13.0) | THREAD MOUNTED TYPES | 40,000 | 55 | SAMCHULLY | KOREA | A-26 |
| 238 | DRILL CHUCK | 16MG(JT6) | HEAVY DUTY TYPES | 40,000 | 30 | SAMCHULLY | KOREA | A-26 |
| 239 | DRILL CHUCK | 19MG | HEAVY DUTY TYPES | 42,770 | 30 | SAMCHULLY | KOREA | A-26 |
| 240 | DRILL CHUCK | 4MG | HEAVY DUTY TYPES | 40,000 | 34 | SAMCHULLY | KOREA | A-26 |
| 241 | DRILL CHUCK | 6.5EL(0~6.5) | LIGHT DUTY TYPES | 40,000 | 36 | SAMCHULLY | KOREA | A-26 |
| 242 | DRILL CHUCK | 6.5SL(0~6.5) | THREAD MOUNTED TYPES | 40,000 | 4 | SAMCHULLY | KOREA | A-26 |
| 243 | SCROLL CHUCK | SC-110(4") | M/C | 344,610 | 11 | SAMCHULLY | KOREA | A-26 |
| 244 | SCROLL CHUCK | SC-130(5") | M/C | 344,610 | 6 | SAMCHULLY | KOREA | A-26 |
| 245 | SCROLL CHUCK | SC-165 6") | M/C | 389,000 | 12 | SAMCHULLY | KOREA | A-26 |
| 246 | SCROLL CHUCK | SC-190(7") | M/C | 419,090 | 17 | SAMCHULLY | KOREA | A-26 |
| 247 | SCROLL CHUCK | SC-230(9") | M/C | 496,590 | 25 | SAMCHULLY | KOREA | A-26 |
| 248 | SCROLL CHUCK | SC-273(10") | M/C | 621,490 | 10 | SAMCHULLY | KOREA | A-26 |
| 249 | SCROLL CHUCK | SC-310(12") | M/C | 974,360 | 6 | SAMCHULLY | KOREA | A-26 |
| 250 | SCROLL CHUCK | SC-355(14") | M/C | 1,707,200 | 5 | SAMCHULLY | KOREA | A-26 |
| 251 | SCROLL CHUCK | SC-85(3") | M/C | 344,610 | 7 | SAMCHULLY | KOREA | A-26 |
| 252 | FACE MILL ARBOR | BT50-FMB27-150 | M/C | 60,000 | 1 | 신세기 TOOL | KOREA | A-16 |
| 253 | SIDE LOCK HOLDER | BT50-SLA16-250 | M/C | 60,000 | 2 | 신세기 TOOL | KOREA | A-16 |
| 254 | TAPPING CHUCK | MTA5-TC24-175 | M/C | 60,000 | 1 | 신세기 TOOL | KOREA | A-16 |
| 255 | ER CHUCK | BT50-ER16-250 | M/C | 60,000 | 14 | 신세기 TOOL | KOREA | A-16 |
| 256 | ER CHUCK | BT50-ER40-300 | M/C | 60,000 | 1 | 신세기 TOOL | KOREA | A-16 |
| 257 | MILLING CHUCK | BT30-C32-100 | MK/MILLING | 50,000 | 1 | NIKKEN | JAPAN | A-13 |
| 258 | 모듈러용베이스홀더 | BT50-Q26-170 | M/C | 98,000 | 1 | NIKKEN | KOREA | A-15 |
| 259 | 마이크로컷보링바 | BT50-BCB48-210 | M/C | 130,000 | 1 | NIKKEN | KOREA | A-15 |
| 260 | 모르스테이퍼 | BT50-MTA4-180 | M/C | 80,000 | 1 | NIKKEN | KOREA | A-15 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 261 | SHOULDER CUTTER ARBOR | BT50-FMC22-105 | M/C | 60,000 | 1 | NIKKEN | JAPAN | A-16 |
| 262 | FACEMILL ARBOR | ST32-FMC-16080 | CNC용 | 21,000 | 1 | KOREA TECHNICS | KOREA | A-15 |
| 263 | FACEMILL ARBOR | ST32-FMC-22150 | CNC용 | 19,000 | 2 | KOREA TECHNICS | KOREA | A-15 |
| 264 | ABS ARBOR | A50 00150 | M/C | 229,870 | 1 | KOMET | GERMANY | A-28 |
| 265 | SHRINK CHUCK | A06 56531 | M/C | 523,960 | 2 | KOMET | GERMANY | A-28 |
| 266 | ARBOR | MTB4-ER32 | M/C | 10,000 | 1 | KORLOY | KOREA | A-16 |
| 267 | SIDE CUTTER ARBOR | BT40-SCA40-90 | M/C | 149,020 | 1 | MIREA | KOREA | A-28 |
| 268 | FACEMILL ARBOR | BT50-FMH25.4-45 | M/C | 320,760 | 1 | NT TOOL | JAPAN | A-28 |
| 269 | COLLET CHUCK | DIN2080 50 ER16X100 | M/C | 130,960 | 1 | TAEGUTEC | KOREA | A-28 |
| 270 | MINI SIDE CUTTER ARBOR | VSTD10L 080S06-S | steel | 11,500 | 5 | Tungaloy | JAPAN | A-14 |